

Presa




Mirror Cabinet

TPE-101-LH
TPE-101-RH
TPE-260
TPE-280
TPE-210

Installation Guide

Check you have all components

You will need



Model Number \ Item	A	B	C	Recess size
TPE-101-LH	500	700	117	484x684x98
TPE-101-RH	500	700	117	484x684x98
TPE-260	600	700	117	584x684x98
TPE-280	800	700	117	784x684x98
TPE-210	1000	700	117	984x684x98


Presa

Mirror Cabinet

Installation Guide Recessed Mounted


TPE-101-LH
TPE-101-RH
TPE-260
TPE-280
TPE-210

- 1** Refer to the table on the first page to measure the size on the wall.




NOTE: To recess mount, the wall cavity must be framed and the cabinet secured to framing studs. Re-route electrical or water supply lines from the cavity. Consult a professional if drain or vent piping is encountered, or if the wall is load-bearing.


- 2** Draw the perimeter of the cabinet on the wall.



- 3** Cut the hole as marked dimension with suitable tool.



- 4** Frame the opening for the cabinet based on the measurements.



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino


Presa

Mirror Cabinet


Installation Guide Recessed Mounted

TPE-101-LH
TPE-101-RH
TPE-260
TPE-280
TPE-210


- 5** Connect the wiring from the cabinet, ensuring the power is off.




- 6** Connect electrical wires and then place the cabinet between the wall studs.



- 7** Affix to wall/studs using appropriate screw fixing for wall type.



8



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino

Presa

Mirror Cabinet

Installation Guide Recessed Mounted



TPE-101-LH

TPE-101-RH

TPE-260

TPE-280

TPE-210



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino


Presa

Mirror Cabinet


Installation Guide Surface Mounted

TPE-101-LH
TPE-101-RH
TPE-260
TPE-280
TPE-210

- 1** Level and mark the cabinet's location on the wall.





- 2** Mark the position of the bottom mounting bracket.




⚠ Bottom mounting brackets must be securely attached to the wall or studs.

- 3** Mark all drill holes and fix bottom mounting bracket in place using appropriate fixings for the wall type.



- 4** Rest the cabinet on the bottom mounting bracket and offer up to the wall ensuring the cabinet is level and fully on the mounting bracket.

⚠ Make sure cabinet is leveled and fully inserted into the groove of the bottom bracket.



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino

Presa

Mirror Cabinet

Installation Guide Surface Mounted

TPE-101-LH


TPE-101-RH

TPE-260


TPE-280

TPE-210


- 5** Insert top mounting bracket into the top of the cabinet.




- 6** Make sure top brackets are locked in the grooves.



- 7** Adjust the position of Top Mounting Bracket and mark the holes with a pencil.



- 8** Remove the cabinet, drill holes according to the marked position, and insert wall plugs if needed for the wall type.



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino

Presa

Mirror Cabinet

Installation Guide Surface Mounted

TPE-101-LH

TPE-101-RH

TPE-260


TPE-280

TPE-210

9


Insert cabinet on the bottom mounting bracket and offer up to the wall, refit top mounting bracket(s) to the cabinet and fix to the wall.

Vibrations occur in electric drills which can affect the cabinet surfaces, use hand screwdriver




10

Test the fit of the cabinet before Final assembly.



11

Install the side mirrors.



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino

Presa

Mirror Cabinet

Installation Guide Surface Mounted

TPE-101-LH


TPE-101-RH

TPE-260


TPE-280

TPE-210


12



13



14



Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino

Presa

Mirror Cabinet

Installation Guide



TPE-101-LH
TPE-101-RH
TPE-260
TPE-280
TPE-210

Door Adjustment / Door Removal

OPTIONAL DOOR ADJUSTMENT

Doors may need to be adjusted after the initial shipping of the cabinet. The cabinet doors have a three-way adjustment feature. Height, side-to-side, level and depth can be adjusted. With the hinge slightly closed you can access the middle screw for up/down adjustment.

With the hinge fully extended you can access the front and back screws. These screws will move the door side to side and in and out.



Touch button function

- Press the icon once  to turn on / off the demister.
- Press the icon once  to turn on / off the light.
- Press and hold the icon  to dim or brighten the light.
- Press and hold the icon  to change the colour temperature.

Failure to install per the installation instructions may invalidate your guarantee, please follow instructions carefully. In the unlikely event that this product should fail please contact the retailer from which the item was purchased.

Unit 2, Lyncastle Road, Warrington, WA4 4SN
+44 (0) 345 582 8000
www.tissino.co.uk

tissino