


Rivelo Showers - Quadrant Enclosure

Technical Overview, Installation & Care Instructions

tissino



tissino

Designed to Inspire
Made to Experience

T 0345 582 8000
E info@tissino.co.uk
W tissino.co.uk

Lyncastle Road
Appleton Thorn
Warrington WA4 4SN

BEFORE YOU START, HERE IS SOME IMPORTANT INFORMATION

1) General Information






Please inspect this product upon delivery, any missing parts or manufacturing defects must be reported immediately to the supplier. Damage or defects reported later will not be accepted. **TAKE CARE WHEN HANDLING GLASS PARTS - AVOID HEAVY CONTACT BETWEEN THE GLASS EDGES AND ANY HARD SURFACE.** Glass breakage claims will not be accepted after the product has been unpacked.

Please note: Aluminium is a soft metal, and undergoes a series of extrusion, fabrication, polishing and anodising processes in order to create your finished shower enclosure. Some light surface marks are normal, and is a result of the manufacturing processes. Quality control has ensured that this item is of a good standard, and is fit for purpose.

2) Additional Notes

Please read these instructions carefully before starting installation. Special care should be taken when drilling walls to avoid hidden pipes or electrical cables. Note: this product is heavy and may require two people to install.


TOOLS REQUIRED

DESCRIPTION	PART IMAGE	DESCRIPTION	PART IMAGE
Tape measure		Drill	
Spirit level		Flat-head Screwdriver	
Pencil		Cross head Screwdriver	
Ø6mm Drill bit		Mallet	
Ø3mm Drill bit		Silicone Sealant	



This product is heavy and may require two people to install.

ASSEMBLY INSTRUCTIONS-DRAWING



- (1) 10x Screws 4x12
- (2) 6x Screws 4x30
- (3) 6x Wall Plugs
- (4) 2x Wall Profile Cover Strips
- (5) 1x Fixed Panel
- (6) 1x Vertical Seal A (Fixed Panel)
- (7) 2x Panel Seals A (Top & Bottom)
- (8) 4x Glass Clamps
- (9) 4x Screws 4x13
- (10) 1x Bottom Rails
- (11) 2x Bottom Rollers
- (12) 4x Cover Caps (Pre-fitted)
- (13) 4x Screws 4x8 (Pre-fitted)

- (14) 4x Roller Stops L+R (Pre-fitted)
- (15) 8x Screws 3.5x30
- (16) 1x Vertical Seal B (Moving Panel)
- (17) 1x Vertical Seal B (Curved Fixed Panel)
- (18) 1x Curved Fixed Panel
- (19) 2x Wall Profiles
- (20) 10x Wall Profile Cover Plastic Parts
- (21) 2x Wall Profile Cover Caps
- (22) 2x Upright Profile Cover Caps
- (23) 2x Panel Seals B (Top & Bottom)
- (24) 1x Moving Panel
- (25) 2x Top Rollers
- (26) 1x Top Rail
- (27) 1x Handle



ASSEMBLY INSTRUCTIONS

If you require help, we advise you to contact a competent plumber


Installation Steps

THESE DIMENSIONS ASSUME THE WALLS ARE PLUMB AND THE SHOWER TRAY IS LEVEL, AND THAT THE WALLS ARE TILED DOWN TO THE TOP OF THE TRAY USING A 10mm TILE/WET WALL PANEL.


ONE DOOR QUADRANT DRAWING




Step 1 MAKE SURE THE TRAY IS LEVEL, USING A SPIRIT LEVEL, BEFORE INSTALLING THIS SHOWER PANEL / DOOR




Step 2 FITTING THE SEALS





Step 3 FITTING THE VERTICAL PROFILES AND TOP/BOTTOM RAILS TOGETHER, THEN FITTING THE GLASS CLAMPS





Step 4 SLIDE THE WALL PROFILES ON TO THE FRAME THEN LIFT WHOLE UNIT ON TO THE TRAY. WHEN DESIRED POSITION IS REACHED USING THE AVAILABLE WALL PROFILE ADJUSTMENT, MARK THE WALLS AND LIFT UNIT OFF THE TRAY.




Step 5 DRILL AND FIT THE WALL PROFILES, AND SLIDE THE DOOR FRAME INTO THE PROFILES




Step 6 SECURING THE COVER STRIP CLIPS AND COVER STRIP




Step 7 FITTING THE ROLLERS




Step 8 ASSEMBLING THE MOVING PANEL




Step 9 FITTING THE SEALS AND HANDLE




Step 10 ADJUSTING THE MOVING PANEL



Step 11 FITTING THE TOP CAPS



Step 12 SILICONE THE OUTSIDE EDGES



CARE AND MAINTENANCE

1) AFTER CARE INSTRUCTIONS

Regularly clean your shower product with warm soapy water to prevent lime scale build up. Do not use abrasive cleaning fluids or materials, or strong chemical cleaners as this will damage the product surface.

2) MAINTENANCE

Clean the plastic parts with a cloth and mild detergent. Never use any abrasive creams, dissolvents, acetone or detergents and disinfectants that contain chlorine. The supplier accepts no liability for any type of use of care other than those contained in these instructions. The supplier reserves the right to introduce technical changes without notice.

Quality Assured

Thank you for purchasing an item from the Tissino range of products. The quality of the materials, components and workmanship that have created this product are of the highest standard. We strongly recommend that you use the services of a reputable and qualified plumber to install this product.

		
Tissino Ltd. Unit 2, Lyncastle Road, Appleton Thorn, Warrington, Cheshire, WA4 4SN, United Kingdom		
17 EN 14428:2015 DOP No.: J170711001-2		
Shower enclosures with aluminium profiles and safety glass		
Essential characteristics	Performance	Harmonised technical specification
Cleanability	Pass	Clause 4.2 of EN 14428:2015
Impact resistance/shatter properties	Pass	Clause 4.3 of EN 14428:2015
Durability	Pass	Clause 4.4 of EN 14428:2015